















Artikel	Omschrijving	Particulier incl. BTW 21 %
---------	--------------	-------------------------------






Luchtdrukgeweer






PcP






BOBMKII-5,5	FX Bobcat MK II "Updated version", Caliber .22 / 5,5mm, Sidelever cocking system, Removable 12 shot magazine, Synthetic thumbhole stock, adjustable recoil-pad, FX smooth twist match grade barrel, Manual safety, 11mm dovetail scope mount, full shroud muzzle, Dual pressure gauge, one for the tank, one for the regulator, Adjustable match trigger (300-700g), Removable air cylinder 300cc, Quick charging system Mkl., MERK FX Airguns, KAL 5,5 mm, #1935	 1.357,33
BOBMKII-6,35	FX Bobcat MK II "Updated version", Caliber .25 / 6,35mm, Sidelever cocking system, Removable 11 shot magazine, Synthetic thumbhole stock, adjustable recoil-pad, FX smooth twist match grade barrel, Manual safety, 11mm dovetail scope mount, full shroud muzzle, Dual pressure gauge, one for the tank, one for the regulator, Adjustable match trigger (300-700g), Removable air cylinder 470cc, Quick charging system Mkl., MERK FX Airguns, MODEL MKII, KAL 6,35 mm / .25, #1936	 1.357,33
BOBMKII-7.62	FX Bobcat MK II "Updated version", Caliber .30 / 7,62mm, Sidelever cocking system, Removable 9 shot magazine, Synthetic thumbhole stock, adjustable recoil-pad, FX smooth twist match grade barrel, Manual safety, 11mm dovetail scope mount, full shroud muzzle, Dual pressure gauge, one for the tank, one for the regulator, Adjustable match trigger (300-700g), Removable air cylinder 470cc, Quick charging system Mkl., MERK FX Airguns, KAL 7,62 mm, #BOB-50301-001	 1.357,33
BOSEXPAM-VP-7.62	FX Boss EXP 'Laminated Grey' - VP, Caliber 7,62mm, Ambidextrous, Adjustable recoil-pad, Thumbhole stock, FX Smooth twist Match grade Length 600 mm barrel, Safety manual, 11 mm dovetail scope mount optics, Shrouded muzzle, Pressure gauge, Standard trigger , Air cylinder 500cc, not removable, quick charge charging system, sidelever cocking system, removable 9 shot magazine., MERK FX Airguns, KAL 7,62mm / .30, #BOS-50307-050	 1.248,39
BOSEXPWAL-VP-7.62	FX Boss EXP 'Walnut' - VP, Caliber 7,62mm, Ambidextrous, Adjustable recoil-pad, Thumbhole stock, FX Smooth twist Match grade Length 600 mm barrel, Safety manual, 11 mm dovetail scope mount optics, Shrouded muzzle, Pressure gauge, Standard trigger , Air cylinder 500cc, not removable, quick charge charging system, sidelever cocking system, removable 9 shot magazine., MERK FX Airguns, KAL 7,62mm / .30, #BOS-50302-050	 1.051,93






Artikel	Omschrijving	Particulier incl. BTW 21 %
BOSS-7.62	FX Boss .30 'Synthetic stock ' Caliber 7,62mm, Adjustable recoil-pad, Thumbhole stock, FX Smooth twist Match grade Length 600 mm barrel, Safety manual, 11 mm dovetail scope mount optics, Shrouded muzzle, Pressure gauge, New fully adjustable match trigger, Air cylinder 500cc, not removable, quick charge charging system, sidelever cocking system, removable 9 shot magazine., MERK FX Airguns, KAL 7,62mm, #1920	 1.194,81
BOSSSC-7.62	FX Boss .30 'Synthetic stock ' carbonfiber bottle Caliber 7,62mm, Adjustable recoil-pad, Thumbhole stock, FX Smooth twist Match grade Length 600 mm barrel, Safety manual, 11 mm dovetail scope mount optics, Shrouded muzzle, Pressure gauge, New fully adjustable match trigger, Air cylinder 500cc, not removable, quick charge charging system, sidelever cocking system, removable 9 shot magazine., MERK FX Airguns, MODEL Boss Synthetic carbonfiber bottle, KAL 7,62mm, #0176	 1.462,70
BOSW-7.62	FX Boss .30 'Walnut Standard stock' Caliber 7,62mm, Ambidextrous, Adjustable recoil-pad, Thumbhole stock, FX Smooth twist Match grade Length 600 mm barrel, Safety manual, 11 mm dovetail scope mount optics, Shrouded muzzle, Pressure gauge, New fully adjustable match trigger, Air cylinder 500cc, not removable, quick charge charging system, sidelever cocking system, removable 9 shot magazine., MERK FX Airguns, MODEL Boss Walnut, KAL 7,62mm / .30, #1922	 1.355,54
BOSWL-7.62	FX Boss .30 Wood Laminate Black Pepper, Caliber 7,62mm, Ambidextrous, Adjustable recoil-pad, Thumbhole stock, FX Smooth twist Match grade Length 600 mm barrel, Safety manual, 11 mm dovetail scope mount optics, Shrouded muzzle, Pressure gauge, New fully adjustable match trigger, Air cylinder 500cc, not removable, quick charge charging system, sidelever cocking system, removable 9 shot magazine. Velocity: 265 m/s • 870 ft/s, MERK FX Airguns, KAL 7,62mm, #1917	 1.534,14
BOSWLC-7.62	FX Boss .30 Wood Laminate Black Pepper, Carbonfiber bottle , Caliber 7,62mm, Ambidextrous, Adjustable recoil-pad, Thumbhole stock, FX Smooth twist Match grade Length 600 mm barrel, Safety manual, 11 mm dovetail scope mount optics, Shrouded muzzle, Pressure gauge, New fully adjustable match trigger, Air cylinder 500cc, not removable, quick charge charging system, sidelever cocking system, removable 9 shot magazine. Velocity: 265 m/s • 870 ft/s, MERK FX Airguns, MODEL Boss Laminate Carbonfibre bottle, KAL 7,62mm / .30, #0177	 1.855,61










Artikel	Omschrijving	Particulier incl. BTW 21 %
CROCONTINUUM-5.5	FX Crown Continuum, Synthetic stock, Cal. .22 (5,5mm), 280m/s, 18 shots magazine, 250 bar. Ambi synthetic Thumbhole stock, adj. recoil-pad. FX Smooth twist X Match grade barrel, Switch style safety, 11mm dovetail scope mount optic, Built-in shroud muzzle, Dual manometers (1 for airtube + 1 for regulator pressure), Adj. Match trigger, Removable carbon fiber wrapped air cylinder. Comes in cut-out case w picatinny rail action & add. picatinny rail installed on stock. Moderator, 400mm & 700mm barrel , MERK FX Airguns, MODEL Crown Continuum, KAL 5,5mm, #CROCONTINUUM-5.5	 1.455,56
CROCONTINUUM-6.3 5	FX Crown Continuum, Synthetic stock, Cal. .25 (6,35mm), 270m/s, 16 shots magazine, 250 bar. Ambi synthetic Thumbhole stock, adj. recoil-pad. FX Smooth twist X Match grade barrel, Switch style safety, 11mm dovetail scope mount optic, Built-in shroud muzzle, Dual manometers (1 for airtube + 1 for regulator pressure), Adj. Match trigger, Removable carbon fiber wrapped air cylinder. Comes in cut-out case w picatinny rail action & add. picatinny rail installed on stock. Moderator, 400mm & 700mm barrel , MERK FX Airguns, MODEL Crown Continuum, KAL 6,35mm, #CRO-40301-105	 1.455,56
CROCONTINUUM-7.6 2	FX Crown Continuum, Synthetic stock, Cal. .30 (7,62mm), 265m/s, 13 shots magazine, 250 bar. Ambi synthetic Thumbhole stock, adj. recoil-pad. FX Smooth twist X Match grade barrel, Switch style safety, 11mm dovetail scope mount optic, Built-in shroud muzzle, Dual manometers (1 for airtube + 1 for regulator pressure), Adj. Match trigger, Removable carbon fiber wrapped air cylinder. Comes in cut-out case w picatinny rail action & add. picatinny rail installed on stock. Moderator, 400mm & 700mm barrel , MERK FX Airguns, MODEL Crown Continuum, KAL 7,62mm, #CRO-50301-105	 1.455,56
CROCONTINUUMLG- 6.35	FX Crown Continuum, Laminated Grey stock, Cal. .25 (6,35mm), 270m/s, 16 shots magazine, 250 bar. Ambi synthetic Thumbhole stock, adj. recoil-pad. FX Smooth twist X Match grade barrel, Switch style safety, 11mm dovetail scope mount optic, Built-in shroud muzzle, Dual manometers (1 for airtube + 1 for regulator pressure), Adj. Match trigger, Removable carbon fiber wrapped air cylinder. Comes in cut-out case w picatinny rail action & add. picatinny rail installed on stock. Moderator, 400mm & 700mm barrel , MERK FX Airguns, MODEL Crown Continuum, KAL 6,35mm, #CRO-40307-105	 1.860,97

Artikel	Omschrijving	Particulier incl. BTW 21 %
CROCONTINUUMLG-7,62	FX Crown Continuum, Laminate Grey stock, Cal. .30 (7,62mm), 265m/s, 13 shots magazine, 250 bar. Ambi synthetic Thumbhole stock, adj. recoil-pad. FX Smooth twist X Match grade barrel, Switch style safety, 11mm dovetail scope mount optic, Built-in shroud muzzle, Dual manometers (1 for airtube + 1 for regulator pressure), Adj. Match trigger, Removable carbon fiber wrapped air cylinder. Comes in cut-out case w picatinny rail action & add. picatinny rail installed on stock. Moderator, 400mm & 700mm barrel </, MERK FX Airguns, MODEL Crown Continuum, KAL 7,62mm, #CRO-50307-105	 1.860,97
CROCONTINUUMWV-6.35	FX Crown Continuum, Walnut stock, Cal. .25 (6,35mm), 270m/s, 16 shots magazine, 250 bar. Ambi synthetic Thumbhole stock, adj. recoil-pad. FX Smooth twist X Match grade barrel, Switch style safety, 11mm dovetail scope mount optic, Built-in shroud muzzle, Dual manometers (1 for airtube + 1 for regulator pressure), Adj. Match trigger, Removable carbon fiber wrapped air cylinder. Comes in cut-out case w picatinny rail action & add. picatinny rail installed on stock. Moderator, 400mm & 700mm barrel , MERK FX Airguns, MODEL Crown Continuum, KAL 6,35mm, #CRO-40302-105	 1.607,36
CROCONTINUUMWV-7,62	FX Crown Continuum, Walnut stock, Cal. .30 (7,62mm), 265m/s, 13 shots magazine, 250 bar. Ambi synthetic Thumbhole stock, adj. recoil-pad. FX Smooth twist X Match grade barrel, Switch style safety, 11mm dovetail scope mount optic, Built-in shroud muzzle, Dual manometers (1 for airtube + 1 for regulator pressure), Adj. Match trigger, Removable carbon fiber wrapped air cylinder. Comes in cut-out case w picatinny rail action & add. picatinny rail installed on stock. Moderator, 400mm & 700mm barrel , MERK FX Airguns, MODEL Crown Continuum, KAL 7,62mm, #CRO-50302-105	 1.607,36
CROLBL-5.5	FX Crown Laminate Blue, Caliber 5.5 mm , 18 shots magazine (130 shots per fill), 250 bar, The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 18 shot magazine. Laminate Stock Ability to change caliber. Adjustable cheekpiece included (not pictured). Optional Match Trigger., MERK FX Airguns, KAL 5.5, #CRO-30308-001	 1.709,16
CROLBL-6.35	FX Crown Laminate Blue, Caliber 6.35 mm , 16 shots magazine (100 shots per fill), 250 bar, The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 16 shot magazine. Laminate Stock Ability to change caliber. Adjustable cheekpiece included (not pictured). Optional Match Trigger., MERK FX Airguns, KAL 6.35, #CRO-40308-001	 1.709,16





Artikel	Omschrijving	Particulier incl. BTW 21 %
CROLBL-7.62	FX Crown Laminate Blue, Caliber 7,62mm (870 fps), 14 shots magazine (40 shots per fill), 250 bar, The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 18 shot magazine. Laminate Stock Ability to change caliber. Adjustable cheekpiece included (not pictured). Optional Match Trigger., MERK FX Airguns, KAL 7,62mm, #CRO-50308-001	 1.709,16
CROLFG-5.5	FX Crown Laminate Forest Green, Caliber 5.5 , 18 shots magazine (130 shots per fill), 250 bar, The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 18 shot magazine. Laminate Stock Ability to change caliber. Adjustable cheekpiece included (not pictured). Optional Match Trigger., MERK FX Airguns, KAL 5.5, #CRO-30309-001	 1.709,16
CROLFG-6.35	FX Crown Laminate Forest Green, Caliber .25 , 16 shots magazine (100 shots per fill), 250 bar, The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 16 shot magazine. Laminate Stock Ability to change caliber. Adjustable cheekpiece included (not pictured). Optional Match Trigger., MERK FX Airguns, KAL 6.35, #CRO-40309-001	 1.709,16
CROLFG-7.62	FX Crown Laminate Forest Green, Caliber 7,62mm (870 fps), 14 shots magazine (40 shots per fill), 250 bar, The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 18 shot magazine. Laminate Stock Ability to change caliber. Adjustable cheekpiece included (not pictured). Optional Match Trigger., MERK FX Airguns, KAL 7,62mm, #CRO-50309-001	 1.709,16
CROLW-5.5	FX Crown Laminated Wood Black pepper, Caliber 5.5 mm (920 fps), 18 shots magazine (130 shots per fill), 250 bar, The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 18 shot magazine. Laminate Stock Ability to change caliber. Adjustable cheekpiece included (not pictured). Optional Match Trigger., MERK FX Airguns, KAL 5.5, #CRO-30307-001	 1.709,16







Artikel	Omschrijving	Particulier incl. BTW 21 %
CROLW-6.35	FX Crown Laminated Wood Black pepper, Caliber 6.35 mm (900 fps), 16 shots magazine (100 shots per fill), 250 bar, The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 16 shot magazine. Laminate Stock Ability to change caliber. Adjustable cheekpiece included (not pictured). Optional Match Trigger., MERK FX Airguns, KAL 6.35, #CRO-40307-001	 1.709,16
CROLW-7.62	FX Crown Laminated Wood Black pepper, Caliber 7,62mm (870 fps), 14 shots magazine (40 shots per fill), 250 bar, The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 14 shot magazine. Laminate Stock Ability to change caliber. Adjustable cheekpiece included (not pictured). Optional Match Trigger., MERK FX Airguns, KAL 7,62mm, #CRO-50307-001	 1.709,16
CROLWY-5.5	FX Crown Laminate Wood Yellow, Caliber 5.5 , 18 shots magazine (130 shots per fill), 250 bar, The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 18 shot magazine. Laminate Stock Ability to change caliber. Adjustable cheekpiece included (not pictured). Optional Match Trigger., MERK FX Airguns, KAL 5.5, #CRO-30311-001	 1.709,16
CROLWY-6.35	FX Crown Laminate Wood Yellow, Caliber 6.35 mm , 16 shots magazine (100 shots per fill), 250 bar, The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 16 shot magazine. Laminate Stock Ability to change caliber. Adjustable cheekpiece included (not pictured). Optional Match Trigger., MERK FX Airguns, KAL 6.35, #CRO-40311-001	 1.709,16
CROLWY-7.62	FX Crown Laminated Wood Yellow, Caliber 7,62mm (870 fps), 14 shots magazine (40 shots per fill), 250 bar, The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 14 shot magazine. Laminate Stock Ability to change caliber. Adjustable cheekpiece included (not pictured). Optional Match Trigger., MERK FX Airguns, KAL 7,62mm, #CRO-50311-001	 1.709,16

Artikel	Omschrijving	Particulier incl. BTW 21 %
CROSBL-5.5	FX Crown 'Synthetic black stock ' Caliber 5.5 mm , 480 CC, 18 shots magazine (130 shots per fill), 250 bar. The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 18 shot magazine. A match grade two-stage trigger, high capacity rotary magazine capabilities, a fully shrouded barrel, side cocking lever action., MERK FX Airguns, MODEL Crown, KAL 5.5, #CRO-30301-001	 1.303,75
CROSBL-6.35	FX Crown 'Synthetic black stock ' Caliber 6,35mm (900 fps), 16 shots magazine (100 shots per fill), 250 bar. The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 16 shot magazine. A match grade two-stage trigger, high capacity rotary magazine capabilities, a fully shrouded barrel, side cocking lever action., MERK FX Airguns, KAL 6.35, #CRO-40301-001	 1.303,75
CROSBL-7.62	FX Crown 'Synthetic black stock ' Caliber 7,62mm (870 fps), 14 shots magazine (40 shots per fill), 250 bar. The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 14 shot magazine. A match grade two-stage trigger, high capacity rotary magazine capabilities, a fully shrouded barrel, side cocking lever action., MERK FX Airguns, KAL 7,62mm, #CRO-50301-001	 1.303,75
CROVPS-5.5	FX Crown VP Edition, Synthetic stock, Cal. .22 (5,5mm), 280m/s, 18 shots magazine, 250 bar. Ambidextrous synthetic Thumbhole stock, adj. recoil-pad. FX Smooth twist X Match grade barrel, Switch style safety, 11mm dovetail scope mount optics, Built-in shroud muzzle, Dual manometers (1 for airtube + 1 for regulator pressure), Adj. Match trigger, Removable carbon fiber wrapped air cylinder. VP Edition is the entry level of the Crown with syntetic stock and aluminium bottle , MERK FX Airguns, MODEL Crown VP Edition, KAL 5,5mm, #CRO-30301-050	 1.151,94
CROVPS-6.35	FX Crown VP Edition, Synthetic stock, Cal. .25 (6,35mm), 270m/s, 16 shots magazine, 250 bar. Ambidextrous synthetic Thumbhole stock, adj. recoil-pad. FX Smooth twist X Match grade barrel, Switch style safety, 11mm dovetail scope mount optics, Built-in shroud muzzle, Dual manometers (1 for airtube + 1 for regulator pressure), Adj. Match trigger, Removable carbon fiber wrapped air cylinder. VP Edition is the entry level of the Crown with syntetic stock and aluminium bottle , MERK FX Airguns, MODEL Crown VP Edition, KAL 6,35mm, #CRO-40301-050	 1.151,94







Artikel	Omschrijving	Particulier incl. BTW 21 %
CROVPS-7.62	FX Crown VP Edition, Synthetic stock, Cal. .30 (7,62mm), 265m/s, 13 shots magazine, 250 bar. Ambidextrous synthetic Thumbhole stock, adj. recoil-pad. FX Smooth twist X Match grade barrel, Switch style safety, 11mm dovetail scope mount optics, Built-in shroud muzzle, Dual manometers (1 for airtube + 1 for regulator pressure), Adj. Match trigger, Removable carbon fiber wrapped air cylinder. VP Edition is the entry level of the Crown with syntetic stock and aluminium bottle , MERK FX Airguns, MODEL Crown VP Edition, KAL 7.62mm, #CRO-50301-050	 1.151,94
CROW-5.5	FX Crown 'Walnut ' Caliber 5,5mm, 18 shots magazine (130 shots per fill), 250 bar. The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 18 shot magazine. Thumbhole ambidextrous walnut stock. A match grade two-stage trigger, high capacity rotary magazine capabilities, a fully shrouded barrel, side cocking lever action., MERK FX Airguns, KAL 5.5, #CRO-30302-001	  1.455,56
CROW-6.35	FX Crown 'Walnut ' Caliber 6,35mm, (900 fps), 16 shots magazine (100 shots per fill), 250 bar. The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 16 shot magazine. Thumbhole ambidextrous walnut stock. A match grade two-stage trigger, high capacity rotary magazine capabilities, a fully shrouded barrel, side cocking lever action., MERK FX Airguns, KAL 6.35, #CRO-40302-001	  1.455,56
CROW-7.62	FX Crown 'Walnut ' Caliber 7,62mm, (870 fps), 14 shots magazine (40 shots per fill), 250 bar. The new Smooth Twist X barrel system (allows you to change barrel length and twist rate in seconds). Two power adjusters for hammer spring & transfer port. Externally adjustable regulator. Full barrel shroud 18 shot magazine. Thumbhole ambidextrous walnut stock. A match grade two-stage trigger, high capacity rotary magazine capabilities, a fully shrouded barrel, side cocking lever action., MERK FX Airguns, KAL 7,62mm, #CRO-50302-001	  1.455,56
DREAM-CLLAM-5,5	FX Dreamline Classic Laminated Grey stock Cal. 5,5mm (.22), MERK FX Airguns, KAL 5.5mm, #DCL-30307-001	 1.191,27
DREAM-CLLAM-6,35	FX Dreamline Classic Laminated wood Pepper Grey stock Cal. 6,35mm (.25), 270m/s. Removable high capacity 16 Shot magazine, FX Smooth twist X barrel, Match grade, Free floating. 230 Bar fill pressure, Manual Safety, 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge for airtube and regulator, Adj. match trigger, Quick charge system MKI, MERK FX Airguns, KAL 6.35mm, #DCL-40307-001	 1.191,27






Artikel	Omschrijving	Particulier incl. BTW 21 %
DREAM-CLLAM-.7,62	FX Dreamline Classic Laminated Wood Pepper Grey stock Cal. 7,62mm (.30). Removable high capacity 13 Shot magazine, FX Smooth twist X barrel, Match grade, Free floating. 230 Bar fill pressure, Manual Safety, 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge for airtube and regulator, Adj. match trigger, Quick charge system MKI, MERK FX Airguns, KAL 6.35mm, #DREAM-CLLAM-.7,62	1.191,27
DREAM-CLS-.5,5	FX Dreamline Classic Synthetic stock Cal. 5,5mm (.22), 280m/s. Removable high capacity 18 Shot magazine, FX Smooth twist X barrel, Match grade, Free floating. 230 Bar fill pressure, Manual Safety, 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge for airtube and regulator, Adj. match trigger, Quick charge system MKI, MERK FX Airguns, KAL 5.5mm, #DCL-30301-001	919,09
DREAM-CLS-.6,35	FX Dreamline Classic Synthetic stock Cal. 6,35mm (.25), 270m/s. Removable high capacity 16 Shot magazine, FX Smooth twist X barrel, Match grade, Free floating. 230 Bar fill pressure, Manual Safety, 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge for airtube and regulator, Adj. match trigger, Quick charge system MKI, MERK FX Airguns, KAL 6.35mm, #DCL-40301-001	919,09
DREAM-CLS-.7,62	FX Dreamline Classic Synthetic stock Cal. 7,62mm (.30). Removable high capacity 13 Shot magazine, FX Smooth twist X barrel, Match grade, Free floating. 230 Bar fill pressure, Manual Safety, 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge for airtube and regulator, Adj. match trigger, Quick charge system MKI, MERK FX Airguns, KAL 7.62mm, #DCL-50301-001	919,09
DREAM-CLW-.5,5	FX Dreamline Classic Walnut stock Cal. 5,5mm (.22), 280m/s. Removable high capacity 18 Shot magazine, FX Smooth twist X barrel, Match grade, Free floating. 230 Bar fill pressure, Manual Safety, 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge for airtube and regulator, Adj. match trigger, Quick charge system MKI, MERK FX Airguns, KAL 5.5mm, #DCL-30302-001	1.017,71
DREAM-CLW-.6,35	FX Dreamline Classic Walnut stock Cal. 6,35mm (.25), 270m/s. Removable high capacity 16 Shot magazine, FX Smooth twist X barrel, Match grade, Free floating. 230 Bar fill pressure, Manual Safety, 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge for airtube and regulator, Adj. match trigger, Quick charge system MKI, MERK FX Airguns, KAL 6.35mm, #DCL-40302-001	1.017,71
DREAM-CLW-.7,62	FX Dreamline Classic Walnut stock Cal. 7,62mm (.30). Removable high capacity 13 Shot magazine, FX Smooth twist X barrel, Match grade, Free floating. 230 Bar fill pressure, Manual Safety, 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge for airtube and regulator, Adj. match trigger, Quick charge system MKI, MERK FX Airguns, KAL 7,62mm, #DREAM-CLW-.7,62	1.017,71






Artikel	Omschrijving	Particulier incl. BTW 21 %
DREAM-LITES-.5,5	FX Dreamline Lite Synthetic Cal. 5,5mm (.22) 275m/s. Removable high capacity 18 shot magazine, Synthetic, quick release rear stock. AR15 hogue pistol grip incl. FX Smooth twist X barrel, Match grade, free floating barrel. 230Bar Fill pressure, Manual safety, 11mm dovetail scope mount optics, 1/2" UNF Muzzle, Pressure gauge for airtube and regulator pressure. Adj. Match trigger, quick charge system, MERK FX Airguns, KAL 5.5mm, #DLI-30301-001	 1.055,18
DREAM-LITES-.6,35	FX Dreamline Lite Synthetic Cal. 6,35mm (.25) 270m/s. Removable high capacity 16 shot magazine, Synthetic, quick release rear stock. AR15 hogue pistol grip incl. FX Smooth twist X barrel, Match grade, free floating barrel. 230Bar Fill pressure, Manual safety, 11mm dovetail scope mount optics, 1/2" UNF Muzzle, Pressure gauge for airtube and regulator pressure. Adj. Match trigger, quick charge system, MERK FX Airguns, KAL 6.35mm, #DLI-40301-001	 1.055,18
DREAM-LITES-.7,62	FX Dreamline Lite Synthetic Cal. 7,62mm (.30). Removable high capacity 13 shot magazine, Synthetic, quick release rear stock. AR15 hogue pistol grip incl. FX Smooth twist X barrel, Match grade, free floating barrel. 230Bar Fill pressure, Manual safety, 11mm dovetail scope mount optics, 1/2" UNF Muzzle, Pressure gauge for airtube and regulator pressure. Adj. Match trigger, quick charge system, MERK FX Airguns, KAL 7.62mm, #DLI-50301-001	 1.055,18
DREAM-LITES-AB-.5, 5	FX Dreamline Lite Synthetic with Aluminium bottle, Cal. 5,5mm (.22) 275m/s. Removable high capacity 18 shot magazine, Synthetic, quick release rear stock. AR15 hogue pistol grip incl. FX Smooth twist X barrel, Match grade, free floating barrel. 230Bar Fill pressure, Manual safety, 11mm dovetail scope mount optics, 1/2" UNF Muzzle, Pressure gauge for airtube and regulator pressure. Adj. Match trigger, quick charge system, MERK FX Airguns, KAL 5.5mm, #DLI-30301-104	 1.153,80
DREAM-LITES-AB-.6, 35	FX Dreamline Lite Synthetic with Aluminium bottle, Cal. 6,35mm (.25) 270m/s. Removable high capacity 16 shot magazine, Synthetic, quick release rear stock. AR15 hogue pistol grip incl. FX Smooth twist X barrel, Match grade, free floating barrel. 230Bar Fill pressure, Manual safety, 11mm dovetail scope mount optics, 1/2" UNF Muzzle, Pressure gauge for airtube and regulator pressure. Adj. Match trigger, quick charge system, MERK FX Airguns, KAL 6.35mm, #DLI-40301-104	 1.153,80
DREAM-LITES-AB-.7, 62	FX Dreamline Lite Synthetic with Aluminium bottle, Cal. 7,62mm (.30) Removable high capacity 13 shot magazine, Synthetic, quick release rear stock. AR15 hogue pistol grip incl. FX Smooth twist X barrel, Match grade, free floating barrel. 230Bar Fill pressure, Manual safety, 11mm dovetail scope mount optics, 1/2" UNF Muzzle, Pressure gauge for airtube and regulator pressure. Adj. Match trigger, quick charge system, MERK FX Airguns, KAL 6.35mm, #DLI-50301-104	 1.153,80






Artikel	Omschrijving	Particulier incl. BTW 21 %
DREAM-LITES-CA-.6, 35	FX Dreamline Lite Synthetic with Carbon-fiber bottle, Cal. 6,35mm (.25) 270m/s. Removable high capacity 16 shot magazine, Synthetic, quick release rear stock. AR15 hogue pistol grip incl. FX Smooth twist X barrel, Match grade, free floating barrel. 230Bar Fill pressure, Manual safety, 11mm dovetail scope mount optics, 1/2" UNF Muzzle, Pressure gauge for airtube and regulator pressure. Adj. Match trigger, quick charge system, MERK FX Airguns, KAL 6.35mm, #DLI-40301-010	1.410,19 
DREAM-LITES-CAR-. 5,5	FX Dreamline Lite Synthetic with Carbon-fiber bottle, Cal. 5,5mm (.22) 275m/s. Removable high capacity 18 shot magazine, Synthetic, quick release rear stock. AR15 hogue pistol grip incl. FX Smooth twist X barrel, Match grade, free floating barrel. 230Bar Fill pressure, Manual safety, 11mm dovetail scope mount optics, 1/2" UNF Muzzle, Pressure gauge for airtube and regulator pressure. Adj. Match trigger, quick charge system, MERK FX Airguns, KAL 5.5mm, #DLI-30301-010	1.410,19 
DREAM-LITES-CAR.7 ,62	FX Dreamline Lite Synthetic with Carbon-fiber bottle, Cal. 7,62mm (.30). Removable high capacity 13 shot magazine, Synthetic, quick release rear stock. AR15 hogue pistol grip incl. FX Smooth twist X barrel, Match grade, free floating barrel. 230Bar Fill pressure, Manual safety, 11mm dovetail scope mount optics, 1/2" UNF Muzzle, Pressure gauge for airtube and regulator pressure. Adj. Match trigger, quick charge system, MERK FX Airguns, KAL 7.62mm, #DLI-50301-010	1.410,19 
DREAM-PUPS-.5,5	FX Dreamline Bullpup Synthetic stock Cal. 5,5mm (.22) 280m/s. Removable high capacity 18 shot magazine, FX Smooth Twist X barrel, Match grade, Free floating barrel. 230 Bar fill pressure. Safety manual. 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge on airtube and regulator. Adjustable match trigger, Quick charge system, MERK FX Airguns, KAL 5.5mm, #DPU-30301-001	1.183,38 
DREAM-PUPS-.6,35	FX Dreamline Bullpup Synthetic stock Cal. 6,35mm (.25) 270m/s. Removable high capacity 16 shot magazine, FX Smooth Twist X barrel, Match grade, Free floating barrel. 230 Bar fill pressure. Safety manual. 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge on airtube and regulator. Adjustable match trigger, Quick charge system, MERK FX Airguns, KAL 6.35mm, #DPU-40301-001	1.183,38 
DREAM-PUPS-.7,62	Dreamline Bullpup Synthetic stock Cal. 7.62mm (.30), MERK FX Airguns, KAL 7.62mm, #DREAM-PUPS-.7,62	1.183,38 
DREAM-PUPS-ALU-.5 ,5	FX Dreamline Bullpup Synthetic stock with Aluminium bottle, Cal. 5,5mm (.22) 280m/s. Removable high capacity 18 shot magazine, FX Smooth Twist X barrel, Match grade, Free floating barrel. 230 Bar fill pressure. Safety manual. 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge on airtube and regulator. Adjustable match trigger, Quick charge system, MERK FX Airguns, KAL 5.5mm, #DPU-30301-104	1.242,55

Artikel	Omschrijving	Particulier incl. BTW 21 %
DREAM-PUPS-ALU-.6 ,35	FX Dreamline Bullpup Synthetic stock, Aluminium bottle, Cal. 6,35mm (.25) 270m/s. Removable high capacity 16 shot magazine, FX Smooth Twist X barrel, Match grade, Free floating barrel. 230 Bar fill pressure. Safety manual. 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge on airtube and regulator. Adjustable match trigger, Quick charge system, MERK FX Airguns, KAL 6.35mm, #DPU-40301-104	1.242,55
DREAM-PUPS-ALU-.7 ,62	FX Dreamline Bullpup Synthetic stock with Aluminium bottle, Cal. 7,62mm (.30). Removable high capacity 13 shot magazine, FX Smooth Twist X barrel, Match grade, Free floating barrel. 230 Bar fill pressure. Safety manual. 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge on airtube and regulator. Adjustable match trigger, Quick charge system, MERK FX Airguns, KAL 7.62mm, #DPU-50301-104	1.242,55
DREAM-PUPS-CAR-. 5,5	FX Dreamline Bullpup Synthetic stock with Carbon-fiber bottle, Cal. 5,5mm (.22) 280m/s. Removable high capacity 18 shot magazine, FX Smooth Twist X barrel, Match grade, Free floating barrel. 230 Bar fill pressure. Safety manual. 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge on airtube and regulator. Adjustable match trigger, Quick charge system, MERK FX Airguns, KAL 5.5mm, #DREAM-PUPS-CAR-.5,5	1.518,67
DREAM-PUPS-CAR-. 6,35	FX Dreamline Bullpup Synthetic stock with Carbon-fiber bottle, Cal. 6,35mm (.25) 270m/s. Removable high capacity 16 shot magazine, FX Smooth Twist X barrel, Match grade, Free floating barrel. 230 Bar fill pressure. Safety manual. 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge on airtube and regulator. Adjustable match trigger, Quick charge system, MERK FX Airguns, KAL 6.35mm, #DREAM-PUPS-CAR-.6,35	1.518,67
DREAM-PUPS-CAR-. 7,62	FX Dreamline Bullpup Synthetic stock with Carbon-fiber bottle, Cal. 7,62mm (.30). Removable high capacity 13 shot magazine, FX Smooth Twist X barrel, Match grade, Free floating barrel. 230 Bar fill pressure. Safety manual. 11mm dovetail scope mount optics, 1/2" UNF muzzle, Pressure gauge on airtube and regulator. Adjustable match trigger, Quick charge system, MERK FX Airguns, KAL 7.62mm, #DREAM-PUPS-CAR-.7,62	1.518,67
DREAMTACTS-.5,5	FX Dreamline Tactical standard, without rear stock, cal. 5,5mm (.22) 280m/s. Removable high capacity 18 shot magazine, AR15 Hogue pistol grip, FX Smooth twist X barrel, Match grade, free floating barrel. 230Bar fill pressure, Safety manual, Picatinny optics, 1/2" UNF muzzle, Pressure gauge for airtube and regulator pressure. Adj. Match trigger, Quick charge system., MERK FX Airguns, KAL 5.5mm, #DTA-30301-001	1.055,18
DREAMTACTS-.6,35	FX Dreamline Tactical standard, without rear stock, cal. 6,35mm (.25) 270m/s. Removable high capacity 16 shot magazine, AR15 Hogue pistol grip, FX Smooth twist X barrel, Match grade, free floating barrel. 230Bar fill pressure, Safety manual, Picatinny optics, 1/2" UNF muzzle, Pressure gauge for airtube and regulator pressure. Adj. Match trigger, Quick charge system., MERK FX Airguns, KAL 6.35mm, #DTA-40301-001	1.055,18

Artikel	Omschrijving	Particulier incl. BTW 21 %
DREAMTACTS-.7,62	FX Dreamline Tactical standard, without rear stock, cal. 7,62mm (.30). Removable high capacity 13 shot magazine, AR15 Hogue pistol grip, FX Smooth twist X barrel, Match grade, free floating barrel. 230Bar fill pressure, Safety manual, Picatinny optics, 1/2" UNF muzzle, Pressure gauge for airtube and regulator pressure. Adj. Match trigger, Quick charge system., MERK FX Airguns, KAL 7.62mm, #DTA-50301-001	 1.055,18
DREAMTACTS-CAR-.5,5	FX Dreamline Tactical standard, without rear stock, with carbon-fiber bottle, cal. 5,5mm (.22) 280m/s. Removable high capacity 18 shot magazine, AR15 Hogue pistol grip, FX Smooth twist X barrel, Match grade, free floating barrel. 230Bar fill pressure, Safety manual, Picatinny optics, 1/2" UNF muzzle, Pressure gauge for airtube and regulator pressure. Adj. Match trigger, Quick charge system., MERK FX Airguns, KAL 5.5mm, #DREAMTACTS-CAR-.5,5	 1.410,19
DREAMTACTS-CAR-.6,35	FX Dreamline Tactical standard, without rear stock, with carbon-fiber bottle, cal. 6,35mm (.25) 270m/s. Removable high capacity 16 shot magazine, AR15 Hogue pistol grip, FX Smooth twist X barrel, Match grade, free floating barrel. 230Bar fill pressure, Safety manual, Picatinny optics, 1/2" UNF muzzle, Pressure gauge for airtube and regulator pressure. Adj. Match trigger, Quick charge system., MERK FX Airguns, KAL 6.35mm, #DTA-40301-010	 1.410,19
DREAMTACTS-CAR-.7,62	FX Dreamline Tactical standard, without rear stock, with carbon-fiber bottle, cal. 7,62mm (.30). Removable high capacity 13 shot magazine, AR15 Hogue pistol grip, FX Smooth twist X barrel, Match grade, free floating barrel. 230Bar fill pressure, Safety manual, Picatinny optics, 1/2" UNF muzzle, Pressure gauge for airtube and regulator pressure. Adj. Match trigger, Quick charge system., MERK FX Airguns, KAL 7.62mm, #DTA-50301-010	 1.410,19
IMP700-5.5	FX Impact MKII, Black "EXP", Caliber .22, Removable high capacity 18 shot magazine, Shot capacity: 130 shots approx., Fill pressure: Max 250 bar (3600 psi), Safety: Switch style, Optics: Picatinny rail, Muzzle: Telescopic shroud system, Velocity: 5,5 (.22): 280 m/s • 920 ft/s, Energy: 5,5 (.22): 41 J • 30 ft/lbs, Air capacity: 480 cc, Air cylinder: Removable, Carbon fiber wrapped, Quick charge system MkII, Externally adjustable pressure regulator, Power adj (hammerspring tension), MERK FX Airguns, KAL 5.5mm, #IMP-30306-201	 2.152,74
IMP700-6.35	FX Impact MKII, Black EXP, Cal. .25, Removable high capacity 16 shot magazine, Shot capacity: 100 shots approx., Fill pressure: Max 250 bar (3600 psi), Safety: Switch style, Optics: Picatinny rail, Muzzle: Telescopic shroud system, Velocity: 6,35 (.25): 270 m/s • 900 ft/s, Energy: 6,35 (.25): 60 J • 45 ft/lbs, Air capacity: 480 cc, Air cylinder: Removable, Carbon fiber wrapped, Quick charge system MkII, Externally adjustable pressure regulator, Power adjuster (hammerspring tension), MERK FX Airguns, KAL 6.35mm, #IMP-40306-201	 2.152,74







Artikel	Omschrijving	Particulier incl. BTW 21 %
IMP700-7.62	FX Impact MKII Black EXP, Cal. .30 / 7,62mm, Removable high capacity 14 shot magazine, Shot capacity: 40 shots approx., Fill pressure: Max 250 bar (3600 psi), Safety: Switch style, Optics: Picatinny rail, Muzzle: Telescopic shroud system, Velocity: 7,62 (.30): 265 m/s • 870 ft/s, Energy: 7,62 (.30): 110 J • 82 ft/lbs, Air capacity: 480 cc, Air cylinder: Removable, Carbon fiber wrapped, Quick charge system MkII, Externally adjustable pressure regulator, Power adjuster (hammerspring tension), MERK FX Airguns, KAL 7,62 mm, #IMP-50306-201	 2.152,74
IMPCOMP-5.5	FX Impact MKII, Black Compact, Caliber .22, Removable high capacity 18 shot magazine, Shot capacity: 130 shots approx., Fill pressure: Max 250 bar (3600 psi), Safety: Switch style, Optics: Picatinny rail, Muzzle: Telescopic shroud system, Velocity: 5,5 (.22): 280 m/s • 920 ft/s, Energy: 5,5 (.22): 41 J • 30 ft/lbs, Air capacity: 480 cc, Air cylinder: Removable, Carbon fiber wrapped, Quick charge system MkII, Externally adjustable pressure regulator, Power adj (hammerspring tension), MERK FX Airguns, KAL 5.5mm, #IMP-30306-006	 2.097,85
IMPCOMP-6.35	FX Impact MKII, Black Compact, Cal. .25, Removable high capacity 16 shot magazine, Shot capacity: 100 shots approx., Fill pressure: Max 250 bar (3600 psi), Safety: Switch style, Optics: Picatinny rail, Muzzle: Telescopic shroud system, Velocity: 6,35 (.25): 270 m/s • 900 ft/s, Energy: 6,35 (.25): 60 J • 45 ft/lbs, Air capacity: 480 cc, Air cylinder: Removable, Carbon fiber wrapped, Quick charge system MkII, Externally adjustable pressure regulator, Power adjuster (hammerspring tension), MERK FX Airguns, KAL 6.35mm, #IMP-40306-006	 2.108,01
IMPMKII-5.5	FX Impact MKII, Black, Caliber .22, Removable high capacity 28 shot magazine, Shot capacity: 130 shots approx., Fill pressure: Max 250 bar (3600 psi), Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates), Externally adj pressure regulator, Power adjuster, Valve adjuster, Interchangeable Caliber System, Multiple Accessory rails (picatinny) sides and bottom, Match Trigger, Velocity 5,5 (.22): 280 m/s • 920 ft/s, 41Joule, 30ft/lbs, 480cc air, MERK FX Airguns, KAL 5.5mm, #IMP-30306-002	 2.108,01
IMPMKII-6.35	FX Impact MKII, Black, Caliber .25, Removable high capacity 28 shot magazine, Shot capacity: 100 shots approx., Fill pressure: Max 250 bar (3600 psi), Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates), Externally adj pressure regulator, Power adjuster, Valve adjuster, Interchangeable Caliber System, Multiple Accessory rails (picatinny) sides and bottom, Match Trigger, Velocity 270 m/s • 900 ft/s, 65 J, 47ft/lbs, 480cc air capacity, MERK FX Airguns, KAL 6.35mm, #IMP-40306-002	 2.108,01

Artikel	Omschrijving	Particulier incl. BTW 21 %
IMPMKII-7.62	FX Impact MKII, Black, Caliber .30, Removable high capacity 28 shot magazine, Shot capacity: 40 shots approx., Fill pressure: Max 250 bar (3600 psi), Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates), Externally adj pressure regulator, Power adjuster, Valve adjuster, Interchangeable Caliber System, Multiple Accessory rails (picatinny) sides and bottom, Match Trigger, Velocity 265 m/s • 870 ft/s, 102 J, 75ft/lbs, 480cc air capacity, MERK FX Airguns, KAL 7,62 mm, #IMP-50306-002 	2.108,01
IMPMKIIB-9MM	FX Impact MKII, Black, Caliber .35, Removable high capacity 18 shot magazine, Shot capacity: 40 shots approx., Fill pressure: Max 250 bar (3600 psi), Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates), Externally adj pressure regulator, Power adjuster, Valve adjuster, Interchangeable Caliber System, Multiple Accessory rails (picatinny) sides and bottom, Match Trigger, Velocity 260 m/s • 860 ft/s, 102 J, 75ft/lbs, 580cc air capacity, 800mm barrel, MERK FX Airguns, KAL 7,62 mm, #IMP-60306-001 	2.189,33
IMPMKIIS-5.5	FX Impact MKII, Silver, Caliber .22, Removable high capacity 28 shot magazine, Shot capacity: 130 shots approx., Fill pressure: Max 250 bar (3600 psi), Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates), Externally adj pressure regulator, Power adjuster, Valve adjuster, Interchangeable Caliber System, Multiple Accessory rails (picatinny) sides and bottom, Match Trigger, Velocity 5,5 (.22): 280 m/s • 920 ft/s, 41Joule, 30ft/lbs, 480cc air, MERK FX Airguns, KAL 5.5mm, #IMP-30305-002 	2.152,74
IMPMKIIS-6.35	FX Impact MKII, Silver, Caliber .25, Removable high capacity 28 shot magazine, Shot capacity: 100 shots approx., Fill pressure: Max 250 bar (3600 psi), Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates), Externally adj pressure regulator, Power adjuster, Valve adjuster, Interchangeable Caliber System, Multiple Accessory rails (picatinny) sides and bottom, Match Trigger, Velocity 270 m/s • 900 ft/s, 65 J, 47ft/lbs, 480cc air capacity, MERK FX Airguns, KAL 6.35mm, #IMP-40305-002 	2.152,74
IMPMKIIS-7.62	FX Impact MKII, Silver, Caliber .30, Removable high capacity 28 shot magazine, Shot capacity: 40 shots approx., Fill pressure: Max 250 bar (3600 psi), Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates), Externally adj pressure regulator, Power adjuster, Valve adjuster, Interchangeable Caliber System, Multiple Accessory rails (picatinny) sides and bottom, Match Trigger, Velocity 265 m/s • 870 ft/s, 102 J, 75ft/lbs, 480cc air capacity, MERK FX Airguns, KAL 7,62 mm, #IMP-50305-001 	2.108,01

Artikel	Omschrijving	Particulier incl. BTW 21 %
IMPMKIIS-9MM	FX Impact MKII, Silver, Caliber .35, Removable high capacity 18 shot magazine, Shot capacity: 40 shots approx., Fill pressure: Max 250 bar (3600 psi), Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates), Externally adj pressure regulator, Power adjuster, Valve adjuster, Interchangeable Caliber System, Multiple Accessory rails (picatinny) sides and bottom, Match Trigger, Velocity 260 m/s • 860 ft/s, 102 J, 75ft/lbs, 580cc air capacity, 800mm barrel, MERK FX Airguns, KAL 7,62 mm, #IMP-60305-001	 2.234,05
IMPMKIISEXP-5.5	FX Impact MKII, Silver, Caliber .22, Removable high capacity 28 shot magazine, Shot capacity: 225 shots@30ft approx., Fill pressure: Max 250 bar (3600 psi), Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates), Externally adj pressure regulator, Power adjuster, Valve adjuster, Interchangeable Caliber System, Multiple Accessory rails (picatinny) sides and bottom, Match Trigger, Velocity 280 m/s • 920 ft/s, 41 J, 30ft/lbs, 480cc air cap, MERK FX Airguns, KAL 5.5mm, #IMP-30305-001	 2.152,74
IMPS700-5.5	FX Impact MKII, Silver Edition, Caliber .22, Removable high capacity 18 shot magazine, Shot capacity: 130 shots approx., Fill pressure: Max 250 bar (3600 psi), Safety: Switch style, Optics: Picatinny rail, Muzzle: Telescopic shroud system, Velocity: 5,5 (.22): 280 m/s • 920 ft/s, Energy: 5,5 (.22): 41 J • 30 ft/lbs, Air capacity: 480 cc, Air cylinder: Removable, Carbon fiber wrapped, Quick charge system MkII, Externally adjustable pressure regulator, Power adj (hammerspring tension), MERK FX Airguns, KAL 5.5mm, #IMP-30305-201	 2.197,46
IMPS700-6.35	FX Impact MKII, Silver Edition, Cal. .25, Removable high capacity 16 shot magazine, Shot capacity: 100 shots approx., Fill pressure: Max 250 bar (3600 psi), Safety: Switch style, Optics: Picatinny rail, Muzzle: Telescopic shroud system, Velocity: 6,35 (.25): 270 m/s • 900 ft/s, Energy: 6,35 (.25): 60 J • 45 ft/lbs, Air capacity: 480 cc, Air cylinder: Removable, Carbon fiber wrapped, Quick charge system MkII, Externally adjustable pressure regulator, Power adjuster (hammerspring tension), MERK FX Airguns, KAL 6.35mm, #IMP-40305-201	 2.197,46
IMPS700-7.62	FX Impact MKII Silver Edition, Cal. .30 / 7,62mm, Removable high capacity 14 shot magazine, Shot capacity: 40 shots approx., Fill pressure: Max 250 bar (3600 psi), Safety: Switch style, Optics: Picatinny rail, Muzzle: Telescopic shroud system, Velocity: 7,62 (.30): 265 m/s • 870 ft/s, Energy: 7,62 (.30): 110 J • 82 ft/lbs, Air capacity: 480 cc, Air cylinder: Removable, Carbon fiber wrapped, Quick charge system MkII, Externally adjustable pressure regulator, Power adjuster (hammerspring tension), MERK FX Airguns, KAL 7,62 mm, #IMP-50305-201	 2.197,46

Artikel	Omschrijving	Particulier incl. BTW 21 %
ROY500EXPLAM-VP-6.35	FX Royale 500 EXP 'Laminated Grey' - VP, Caliber 6,35 mm (.25), Sidelever cocking system, Removable 11 shot magazine, Ambidextrous, adjustable recoil-pad, thumbhole stock, FX smooth twist Match grade barrel, Manual safety, 11mm dovetail scope mount, shrouded muzzle, pressure gauge, Standard trigger , Air cylinder 500 cc not removable, Quick charge system MkII, Addition pressure regulator. Delivered in a card-board box., MERK FX Airguns, KAL 6.35mm, #RO5-40307-050	 1.248,39
ROY500EXPWAL-VP-6.35	FX Royale 500 EXP 'Walnut' - VP, Caliber 6,35 mm (.25), Sidelever cocking system, Removable 11 shot magazine, Ambidextrous, adjustable recoil-pad, thumbhole stock, FX smooth twist Match grade barrel, Manual safety, 11mm dovetail scope mount, shrouded muzzle, pressure gauge, Standard trigger , Air cylinder 500 cc not removable, Quick charge system MkII, Addition pressure regulator. Delivered in a card-board box., MERK FX Airguns, KAL 6.35mm, #RO5-40302-050	 1.051,93
ROY500LW-6.35	FX Royale 500 'Laminate Wood stock' Pepper Grey, Caliber 6,35 mm (.25), Sidelever cocking system, Removable 11 shot magazine, Ambidextrous, adjustable recoil-pad, thumbhole stock, FX smooth twist Match grade barrel, Manual safety, 11mm dovetail scope mount, shrouded muzzle, pressure gauge, Adjustable match trigger (400-700g), Air cylinder 500 cc not removable, Quick charge system MkII, Addition pressure regulator., MERK FX Airguns, KAL 6.35mm, #1950	 1.480,56
ROY500S-6.35	FX Royale 500 'Synthetic ' Caliber 6,35 mm (.25), Sidelever cocking system, Removable 11 shot magazine, Adjustable recoil-pad, thumbhole stock, FX smooth twist Match grade barrel, Manual safety, 11mm dovetail scope mount, shrouded muzzle, pressure gauge, Adjustable match trigger (400-700g), Air cylinder 500 cc not removable, Quick charge system MkII, Addition pressure regulator., MERK FX Airguns, KAL 6.35mm, #1909	 1.159,09
ROY500SCAR-6.35	FX Royale 500 'Synthetic 'Carbonfiber bottle, Caliber 6,35 mm (.25), Sidelever cocking system, Removable 11 shot magazine, Adjustable recoil-pad, thumbhole stock, FX smooth twist Match grade barrel, Manual safety, 11mm dovetail scope mount, shrouded muzzle, pressure gauge, Adjustable match trigger (400-700g), Air cylinder 500 cc not removable, Quick charge system MkII., MERK FX Airguns, KAL 6.35mm, #RO5-40301-010	 1.217,42
STREAMLINE-5,5	FX Streamline .22 Synthetic. Magazine typeFX Standard 11 shot in cal 5,5 (.22) , Stock synthetic, Calibre 5,5mm (.22), Barrel: Match grade, length: 500 mm. Trigger: 500 g, Velocity 275 m/s • 910 ft/s, Air capacity: 190 cc, Air cylinder: Not removable, Length: 975 mm , Weight: Synthetic: 2,6 kg, Charging: Quick charge system Mkl. Fill pressure 230 Bar • 3300 Psi, Safety: Manual, Optics: 11 mm dovetail, scope mount, Muzzle: Shroud, MERK FX Airguns, MODEL Streamline Synthetic, KAL 5,5mm, #0205	 832,26

Artikel	Omschrijving	Particulier incl. BTW 21 %
STREAMLINE-6,35	FX Streamline .25 Synthetic. Magazine type: 10 shot in cal 6,35 (.25) , Stock synthetic, Calibre 6,35mm (.25), Barrel: Match grade, length: 600 mm. Trigger: 500 g, Velocity 270 m/s • 890 ft/s, Air capacity: 250 cc, Air cylinder: Not removable, Length: 1090 mm , Weight: Synthetic: 2,6 kg, Charging: Quick charge system Mkl. Fill pressure 230 Bar • 3300 Psi, Safety: Manual, Optics: 11 mm dovetail, scope mount, Muzzle: Shroud, MERK FX Airguns, MODEL Streamline Synthetic, KAL 6,35 mm, #0208	 832,26
STREAMLINEL-5,5	FX Streamline .22 Laminate cal 5,5 , Stock Laminate, velocity: 5,5 (.22): 275 m/s • 910 ft/s, air capacity 190cc, air cylinder not removable., MERK FX Airguns, MODEL Streamline Laminate, KAL 5,5 mm, #0211	 1.078,72
STREAMLINEL-6,35	FX Streamline .25 Laminate cal 6,35 , Stock Laminate, velocity: 6,35 (.25): 270 m/s • 890 ft/s, air capacity 250 cc, air cylinder not removable., MERK FX Airguns, MODEL Streamline Laminate, KAL 6,35 mm, #0212	 1.078,72
STREAMLINEW-5,5	FX Streamline .22 Walnut. cal 5,5 (.22) , Stock walnut, Overall Length: 38.75", Barrel Length: 19.75", Weight: 6.1 lbs, Energy: up to 34 ft/lbs, Powerplant: PCP, Scope Rail: 11mm, Capacity: 11-shot, MERK FX Airguns, MODEL Streamline Walnut, KAL 5,5 mm, #0207	 921,56
STREAMLINEW-6,35	FX Streamline .25 Walnut. cal 6,35 , Stock walnut, MERK FX Airguns, MODEL Streamline Walnut, KAL 6,35 mm, #0209	 921,56
TYPW-5.5	LAATSTE STUKSPROMO FX Typhoon 'Walnut ME' Caliber 5,5mm, bolt action, single shot, no magazine, Adjustable recoil-pad, ambidextrous stock, FX smooth twist match grade barrel, Bolt action safety mode, 11mm dovetail for scope, 1/2" UNF muzzle, no pressure gauge, adjustable match trigger (400-700g), Air cylinder 185 cc, not removable, Quick charge system Mkl, shrouded barrel integrated with barrel support., MERK FX Airguns, KAL 5.5mm	 529,00
WILDCLW-5,5	FX Wildcat Caliber .22 / 5,5mm, Laminate Thumbhole stock Pepper Grey , Cocking system Sidelever, 8 shot magazine, Energy: 41 J • 30 ft/lbs, Air capacity:230 cc, Air cylinder Not removable, Quick charge system Mkl, Fill pressure: 230 Bar • 3300 Psi, Safety: Manual, Optics: 11 mm dovetail scope mount, Muzzle Shroud, Adjustable match trigger (200 - 500 gram), MERK FX Airguns, KAL 5,5 mm	 1.562,71
WILDCLW-6,35	FX Wildcat Caliber .25 / 6,35mm, Laminate Thumbhole stock Pepper Grey , Cocking system Sidelever, 8 shot magazine, Energy 65 J • 47 ft/lbs, Air capacity:300 cc, Air cylinder Not removable, Quick charge system Mkl, Fill pressure: 230 Bar • 3300 Psi, Safety: Manual, Optics: 11 mm dovetail scope mount, Muzzle Shroud, Adjustable match trigger (200 - 500 gram), MERK FX Airguns, KAL 6,35 mm, #1981	 1.562,71

Artikel	Omschrijving	Particulier incl. BTW 21 %
WILDCMKII-5,5MM	FX Wildcat MKII Caliber .22 / 5,5mm, Synthetic Thumbhole stock, 8 shot magazine, FX Smooth twist X barrel, Match grade, 230 Bar fill pressure, Safety manual, 11mm dovetail scope mount, Built-in shroud system with additional moderator, pressure gauge, adjustable match trigger, not removable air cylinder, quick charge system MKI, MERK FX Airguns, KAL 5,5 mm, #WIL-30301-001	1.196,59
		
WILDCMKII-6,35	FX Wildcat MKII Caliber .25 / 6,35mm, Synthetic Thumbhole stock, 8 shot magazine, FX Smooth twist X barrel, Match grade, 230 Bar fill pressure, Safety manual, 11mm dovetail scope mount, Built-in shroud system with additional moderator, pressure gauge, adjustable match trigger, not removable air cylinder, quick charge system MKI, MERK FX Airguns, KAL 6,35 mm, #WIL-40301-001	1.196,59
		
WILDCMKII-7.62	FX Wildcat MKII Caliber .30 / 7,62mm, Synthetic stock, 7-shot magazine, FX Smooth twist X match grade barrel 700mm, 230bar fill pressure, 11mm dovetail scope mount, Built-in shroud system with additional moderator, pressure gauge, adjustable match trigger (200-500gr.), 70ft/lbs (95J), 300cc air capacity, not removable air cylinder, Quick charge system Mkl, Interchangeable barrel liner system, AMP Externally adjustable pressure regulator, MERK FX Airguns, KAL 7,62 mm, #WIL-50301-001	1.216,24
		
WILDCMKIIISN-7.62	FX Wildcat MKIII Caliber .30 / 7,62mm, Synthetic stock, Sniper, 16-shot magazine, FX Smooth twist X match grade barrel 700mm, 230bar fill pressure, 11mm dovetail scope mount, Built-in shroud system with additional moderator, pressure gauge, adjustable match trigger (200-500gr.), 85ft/lbs (155J), 300cc air capacity, not removable air cylinder, Quick charge system Mkl, Interchangeable barrel liner system, AMP Externally adjustable pressure regulator, MERK FX Airguns, KAL 7,62 mm, #WC3-50301-205	1.196,59
		
WILDCSMKIICOM-5,5	FX Wildcat MKII Compact, Synthetic stock, Caliber .22/5,5mm, 30ft/lbs (41J), 230cc, 8-shot magazine, interchangeable barrel liner system, highly accurate internal air regulator, easy load magazine system, a fully shrouded barrel. The cocking lever has been perfected, Forward placement of the lever provides quick and soft cocking of the gun, Compact edition comes with a 500mm Barrel picatinny rail action and additional picatinny rail installed on stock, MERK FX Airguns, KAL 5,5 mm, #WIL-30301-001	1.294,82
		
WILDCSMKIICOM-6,35	FX Wildcat MKII Compact, Synthetic stock, Caliber .25/6,35mm, 47ft/lbs (65J), 300cc, 8-shot magazine, interchangeable barrel liner system, highly accurate internal air regulator, easy load magazine system, a fully shrouded barrel. The cocking lever has been perfected, Forward placement of the lever provides quick and soft cocking of the gun, Compact edition comes with a 500mm Barrel picatinny rail action and additional picatinny rail installed on stock, MERK FX Airguns, KAL 6,35 mm, #WIL-40301-006	1.294,82
5		

Artikel	Omschrijving	Particulier incl. BTW 21 %
WILDCSMKIIICOM-6, 35	FX Wildcat MKIII Compact, Synthetic stock, Caliber .25/6,35mm, 55ft/lbs (75J),230cc, 16-shot magazine, interchangeable barrel liner system,highly accurate internal air regulator, easy load magazine system,a fully shrouded barrel. The cocking lever has been perfected, Forward placement of the lever provides quick and soft cocking of the gun, Compact edition comes with a 500mm Barrel picatinny rail action and additional picatinny rail installed on stock, MERK FX Airguns, KAL 6,35 mm, #WC3-40301-006	1.143,01
WILDCW-5,5	FX Wildcat Caliber .22 / 5,5mm, Walnut Thumbhole stock, Cocking system Sidelever, 8 shot magazine, Energy: 41 J • 30 ft/lbs, Air capacity:230 cc, Air cylinder Not removable, Quick charge system Mkl, Fill pressure: 230 Bar • 3300 Psi, Safety: Manual, Optics: 11 mm dovetail scope mount, Muzzle Shroud, Adjustable match trigger (200 - 500 gram), MERK FX Airguns, KAL 5,5 mm	1.409,12
WILDCW-6,35	FX Wildcat Caliber .25 / 6,35mm, Walnut Thumbhole stock, Cocking system Sidelever, 8 shot magazine, Energy 65 J • 47 ft/lbs, Air capacity:300 cc, Air cylinder Not removable, Quick charge system Mkl, Fill pressure: 230 Bar • 3300 Psi, Safety: Manual, Optics: 11 mm dovetail scope mount, Muzzle Shroud, Adjustable match trigger (200 - 500 gram), MERK FX Airguns, KAL 6,35 mm	1.409,12

Toebehoren

FX0503	FX Scuba charging device " Bundle" ,With adaptors for both Mkl and MkII, MERK FX Airguns, #0503	136,20
FX19016	FX Quick Connector MkII ,1/8" external (Stainless Steel), MERK FX Airguns, #1931	26,43
ROY400REG	Suplement FX Royale 400 'Regulator', MERK FX Airguns, #19043	134,16
ROY500REG	Suplement FX Royale 500 'Regulator', MERK FX Airguns	134,16

OnderdelenLuchtdrukgeweer**Diverse**

FX19969	FX Liner lock .22 Crown, #19969	20,33
FX19970	FX Liner lock .25, #19970	20,33
FX20017	FX 35mm Moderator .22 Complete 1/2" UNF", #20017	65,05
FX20154	FX Barrel support, Dovetail Bullpup, #20154	12,20
FX20159	FX Barrelsupport Dreamline, #20159	14,64
FX20162	FX Barrelsupport Dreamline, #20162	11,38
FX20164	FX Filler barrel support dovetail, #20164	12,20
FX2505	FX Countersunk screw M4x10, #2505	0,98
FX5207	FX Socket head cap screw M4x14, #5207	1,14
FXCONVERSIONDRE AM	FX Conversion kit Dream Lite - Dream Tact, #20130	142,30
FXCONVERSIONIMP ACT	FX Conversion kit Impact Side-Shot Magazine Cal. .22, #19782	71,15

Artikel	Omschrijving	Particulier incl. BTW 21 %
FXCONVERSIONIMP ACT25	FX Conversion kit Impact Side-Shot Magazine Cal. .25, #19783	71,15
FXCONVERSIONIMP ACT30	FX Conversion kit Impact Side-Shot Magazine Cal. .30, #19784	71,15
Magazijn		
FX1701	FX Magazines .22 - 12 shot FX, made in high grade aluminium, total height 38mm, #1701	50,82
FX1707	FX Magazines .25 - 11 shot, made in high grade aluminium, total height 38mm, #1707	50,82
FX17072	FX Magazines Mini .25 - 10 shot FX, made in high grade aluminium., #17072	50,82
FX1710	FX Magazines .22 Mini - 11 shot FX, made in high grade aluminium., #1710	50,82
FX1711	FX Magazine Semi .177 16 Shot for Monsoon, #1711	50,82
FX1715	FX Magazine, Crown Cal. .22, New made in high grade aluminum. Total height 38 mm., #1715	73,18
FX1716	FX Magazine, Crown Cal. .25, New made in high grade aluminum. Total height 38 mm., #1716	73,18
FX1717	FX Magazine, Crown Cal. .30, New made in high grade aluminum. Total height 38 mm., #1717	73,18
FX1959	FX Magazine, Cal. .25 (6,35mm) FX Wildcat, 8 shot, #1959	25,00
FX1960	FX Magazine Wildcat Cal. .30, #1960	28,46
FX1968	FX Magazine Cal. .177 - FX Impact, #1968	73,18
FX1969	FX Magazine Cal. .22 - 18 shot FX Impact, #1969	73,18
FX20085	FX Magazine Side Shot Mega, Cal. .5,5mm, #20085	44,72
FX20089	FX Magazine Side Shot Mega, Cal. 6,35mm, #20089	44,72

Artikel	Omschrijving	Particulier incl. BTW 21 %
FXM177	FX Magazines Cal. .177, 8 shot, Made in high grade aluminium, total height 38mm	26,43
FXM177-5	FX Magazines Cal. .177, 5-shot, Made in high grade aluminium, total height 38mm	50,82
FXM22-5	FX Magazines Cal. .22, 5-shot, Made in high grade aluminium, total height 38mm	50,82
FXM25-5	FX Magazines Cal. .25, 5-shot, Made in high grade aluminium, total height 38mm	50,82
FXMAG.177	FX Magazines .177 - 16 shot FX, made in high grade aluminium, total height 38mm	50,82
FXMAGCR-.177	FX Magazine Crown Cal. .177, #1714	73,18
FXMAGTYP	FX Magazines, Typhoon ,Caliber 5,5, A multishot solution for the singelshot Typhoon, manually rotated. With room for 10 pellets, available in caliber 5,5 (.22). Also suits Tornado (JPN) and Logun Solo.	44,72
FXMEGMAG-5,5	FX Mega Magazine for Impact, Cal. .5,5mm, #1969	73,18
FXMEGMAG-6,35	FX Mega Magazine for Impact, Cal. .6,35mm, #1970	73,18
FXMEGMAG-7,62	FX Mega Magazine for Impact, Cal. .7,62mm, #1971	73,18
FXMIMA177	FX Mini Magazines Cal. .177, 13-shots, works with medium heights mount 34mm	50,82
FXMIMA22	FX Mini Magazines Cal. .22, 12-shots, works with medium heights mount 34mm	50,82
FXSSHI-CAP	FX Side-shot SS Hi-Cap for Impact MKII, #FXSSHI-CAP	48,79
FXSSMEGA	FX Side-shot SS MEGA for Dreamline and Crown, #FXSSMEGA	44,72
Grip luchtdrukgeweer		
FXSTGLA	FX Gladiator, Revolution, Pistolgrip	101,64
Onderdelen luchtdrukgeweer		
FX1972	FX Barrel kit Impact .25, caliber 6,35, #1972	355,74

Artikel	Omschrijving	Particulier incl. BTW 21 %
FX1973	FX Barrel kit Impact .30, #1973	355,74
FX19961	FX Barrel attachment for Cal. .22, #19961	20,33
FX19962	FX Barrel attachment for Cal. .25, #19962	20,33
FX19972	FX Barrel house 550mm, #19972	44,72
FX7033	FX Airtube 390mm Complete v3, #7033	158,56
FXBARKIT	FX Barrel kit incl. barrel pellet-probe and telescopic shroud	345,58
FXBARRELKIT-CROWN	FW Barrel kit: Shrouded barrel, pellet-probe included, for FX Crown, #FXBARRELKIT-CROWN	345,58
FXSNIPERKIT	FX sniper kit, barrle 700mm, pellet-probe included. Only 6.35 and 7.62mm, #FXSNIPERKIT	396,40



Luchtflessen

Ind. Luchtfles Europese keuring 10 j




FXGEHM222	5 Liter Master Refill bottle 200 Bar, #M222	163,60
FXGEHM223	10 Liter Master Refill bottle 200 Bar, #M223	189,00
FXGEHM228	20 Liter Refill air bottle 200 Bar, #M228	243,00
FXGEHM229	10 Liter Master Refill AIR bottle 300 Bar, #M229	279,00

Optiek

3-12x kijkers

FX15009	FX Optics 1" ,3-12x44 IR AO, #15009	158,56	
FX3-12X44	FX Optics 1" ,3-12x44 IR AO "10 pack"	1.361,98	

Montagestukken

FX20022	FX Dovetail Bullpup Dreamline, #20022	75,21	
FXMOUNT	FX No-limit ScopeMount 1", #30001	65,05	
FXMOUNT30	FX No-limit Mounts 30mm, Height 0.875" – 1.045", #30000	65,05	
FXMOUNT30D	FX No-Limit Scopemount 30mm Dovetail, 11mm Dovetail mounts 30mm scope rings. Adjust for height and angle. Vertically adjustable 0.17 inches. Angle adjustable +/- 1.5 degrees. Easily adjustable with one screw located on each mount. Overall height 0.875" - 1.045"., #30000	65,05	
FXMOUNT30P/W	FX No-Limit Scopemount 30mm Picatinny/Weaver, #30000P	69,12	

Artikel	Omschrijving	Particulier incl. BTW 21 %
FXMOUNTP	FX No-Limit scopemount 1" Picatinny/Weaver, #30001P	69,12



Wapenkoffers

Geweerkoffer voor 1 geweer

FXCASE117X29X12	FX Plastic case 117 X 29 X 12 for FX Crown, #CHAR-KIT-250B	87,41
-----------------	---	-------



exclusief wapen